

MARJAN TILE

GENERAL CATALOGUE

2024-2025

MARJAN TILE

History

Marjan Tile Company was founded in 1989. Leveraging the expertise of skilled professionals and supported by a team of fewer than 30 valuable colleagues, started the production with 33*33 cm size. In less than 4 years as the first producer of industrial tiles in the country it was recognized and in the same year the first export sale of Marjan tiles was realized. After achieving consecutive honors in the field of export in 2014, production and cooperation with Spanish and Italian brands began, and today, with more than 40 agencies across the country and the world, customers have access to the latest ceramic tile products aligned with the new architectural approach.

تاریخچه

شرکت کاشی مرجان در سال ۱۳۶۸ تاسیس شد و با تکیه بر توانایی متخصصین و با کمک کمتر از ۳۰ همکار ارزشمند، تولیدات خود را با سایز ۳۳*۳۳ آغاز کرد و در کمتر از ۴ سال به عنوان اولین تولید کننده ی کاشی های صنعتی در کشور شناخته شد و در همان سال اولین فروش صادراتی کاشی مرجان تحقق یافت. پس از کسب افتخارات متوالی در زمینه ی صادرات در سال ۱۳۹۴ تولید و همکاری با برندهای اسپانیایی و ایتالیایی آغاز شد و امروزه با بیش از ۴۰ نمایندگی در سراسر کشور و جهان به روز ترین محصولات منطبق بر نگرش معمارانه نوین در صنعت سرامیک را در اختیار مشتریان خود قرار می دهد.



Sustainability and environmental conservation

Marjan Tile since the inception of operations, consistently prioritized environmental responsibility as one of its core values. The production and introduction of single-fired tiles to the market, with the aim of minimizing energy usage and aligning with environmental and production policies, is one of the steps taken in this direction. It has taken a proactive approach towards fulfilling its social responsibility by preserving the environment through the intelligent and precise utilization of energy sources and raw materials, outfitting the factory with state-of-the-art equipment, and advocating for water recycling throughout all production stages.

پایداری و حفاظت محیط زیست

شرکت کاشی مرجان از زمان آغاز فعالیت خود، صیانت از محیط زیست را به عنوان یکی از ارزش های خود در نظر داشته است. تولید و ارائه ی کاشی های تک پخت به بازار با تفکر کاهش مصرف انرژی و همچنین سعی در یکپارچگی سیاست های زیست محیطی و تولیدی از اقدامات انجام شده در این راستا می باشد. کاشی مرجان از طریق بهره گیری هوشمندانه و دقیق در استفاده از منابع انرژی، مواد اولیه، تجهیز کارخانه با روزآمدترین دستگاه ها و ترویج چرخه بازیافت آب در تمام مراحل تولید، قدمی مؤثر در راستای تعهد اجتماعی خود در حفظ محیط زیست برداشته است.

Crafted by Marjan Tile

The pursuit of beauty is part of human's nature and plays a key role in defining Marjan Tile's identity. This inherent trait is combined with creativity and technological advancements, has generated the development of a broad range of contemporary and varied products alongside efficiency and quality for customers. We have adopted environmental conservation as our approach with over 30 years of experience, we desire to passion envisioning a future by beauty, innovation, creativity, and durability.

طراحی شده توسط کاشی مرجان

جست و جوی زیبایی، ویژگی نهادینه شده ای در بنیاد تمام انسان هاست و این موضوع به عنوان یک اصل، بخشی از هویت کاشی مرجان را شکل می دهد. این ویژگی غریزی در ترکیب با خلاقیت و تکنولوژی توانسته است متنوع ترین و به روز ترین محصولات را در کنار حفظ کارایی و کیفیت برای مشتریان به ارمغان آورد. در این مسیر، حفاظت از محیط زیست را رویکرد خود کردیم و با بیش از ۳۰ سال تجربه، برای نگاه کردن به آینده ای همراه با زیبایی، نوآوری، خلاقیت و کیفیت مشتاقیم.

SYMBOL

ICON	Description	Abrasion Class
	مقاومت به سایش کم جهت محیط هایی با ترافیک سبک Floorings subject to light traffic and laid in areas protected from abrasive and scratching agents such as sand, gravel, etc. In general, these tiles may be laid in bedrooms, bathrooms and private dwellings.	Class I (P.E.I I)
	مقاومت به سایش عادی جهت محیط هایی با ترافیک عادی Floorings exposed to medium-light traffic and laid in areas protected from abrasive and scratching agents, such as sand, gravel, etc. In general, these tiles may be laid anywhere in private dwellings, except kitchens.	Class II (P.E.I II)
	مقاومت به سایش بالا جهت محیط هایی با ترافیک نیمه سنگین Floorings exposed to medium traffic and laid in areas protected from abrasive and scratching agents, such as sand, gravel, etc. In general, these tiles may be laid anywhere in private dwellings and also in commercial type areas with light traffic.	Class III (P.E.I III)
	مقاومت به سایش بسیار بالا جهت محیط هایی با ترافیک سنگین Floorings exposed to medium-heavy traffic and laid in areas protected from abrasive and scratching agents, such as sand, gravel, etc. In general, these tiles may be laid in restaurants, hotels, shops, schools, offices, etc.	Class IV (P.E.I IV)
	مقاومت به سایش فوق العاده بالا جهت محیط هایی با ترافیک بسیار سنگین Floor coverings that are subject to severe pedestrian traffic over sustained periods with some scratching dirt, so that the conditions are the most severe for which glazed floor tiles may be suitable (for example public areas such as shopping centers, airport concourses, hotel foyers, public walkways etc.)	Class V (P.E.I V)

SYMBOL

ICON	Description	
	مقاوم در برابر یخ زدگی	Frost Resistant
	تک پخت	Single Fired
	مقاوم در برابر اسید	Acid Resistant
	لعبه براق	Trans Glaze
	سطح براق	Polished Tile
	سطح نیمه براق	Semi Polished Tile
	سطح مات	MattTile
	غیر لغزنده	None Slip
	زمینه یکنواخت	Uniform Appearance
	زمینه با تنوع جزئی	Slight Variation
	زمینه با تنوع متوسط	Moderate Variation
	زمینه با تنوع زیاد	Substantial Variation

INDEX

01 MARBLE

Serenity	10
Marine	12
Morpho	14
Premium Travertine (Matt)	16
Premium Travertine (Polished)	20
Classico	22
Blizzard	24
Panda	26
Black Jasper	28
Elegante	30
Tivoli	32
Emerald	34
Moon Rock	38
Forest	40
Sahara Noir	42
Venatino	44
Himalaya	46
Simmetria	50
Imperial	52
Lambert	54
Repolano	56
Strand	60
Pietra	62
Alpine	66
Salino	70
Sahara	72
Flavia	76
Vision	78
Pacific	80
Crystal	82
Crown	84
Granda	88

02 STONE

Petra Slate	92
Limestone	94
Marvel Stone	96
Nepal	98
Mountain Rock	100
Stria Stone	102
Gabbro	104
Villa	106
Kathmandu	108
Basalt	110

03 WOOD

Pastel Wood	114
Ayan	116

04 ABSTRACT

Oxido	118
Exclusive	120
Rust	122
Incanto Royal	124
Incanto	126
	128

05 CEMENT

Concrete Expose	132
Honed Concrete	134
Diverso	136
Cement Real	138
Calma	140

05 CEMENT

Nublado	142
Portland	144
Modena	146

06 SWIMMING POOL

Ocean	150
Sport	152

07 HEAVY DUTY

Barco	156
Tricer	158
Vidrado	160
Flint	162
Hard Stone	164

08 HIGH TRAFFIC

Traverse	168
----------	-----

09 TERRAZZO

Hubble	172
Gravity None Slip	174

10 MONOCOLOR

Rainbow	178
Pixel	184

11 FABRIC

Texture	190
---------	-----

12 INDUSTRIAL

Acid Resistant	196
Alkali Resistant	204
None Slip	206
Special Pieces	208

INDEX

MARBLE

Serenity	10
Marine	12
Morpho	14
Premium Travertine (Matt)	16
Premium Travertine (Polished)	20
Classico	22
Blizzard	24
Panda	26
Black Jasper	28
Elegante	30
Tivoli	32
Emerald	34
Moon Rock	38
Forest	40
Sahara Noir	42
Venatino	44
Himalaya	46
Simmetria	50
Imperial	52
Lambert	54
Repolano	56
Strand	60
Pietra	62
Alpine	66
Salino	70
Sahara	72
Flavia	76
Vision	78
Pacific	80
Crystal	82
Crown	84
Granda	88

SERENITY
100x100



V2

9F

8375 Serenity Light Gray



V2

9F

8374 Serenity Beige



V2

9F

8376 Serenity Gray




MARINE
60x120



V3

11F

8240 Marine



MORPHO
60x120




V3
1F

6254 Morpho Blue



V3
1F

6255 Morpho Blue



PREMIUM TRAVERTINE 100x100 | 60x120



V3
7F


8366 Premium Travertine



PREMIUM TRAVERTINE 60x120|100x100



8160 Premium Travertine



PREMIUM TRAVERTINE
100x100



V3
7F

8367 Premium Travertine



CLASSICO
60x120



8151 Classico Light Gray



8152 Classico Gray



8153 Classico Dark Gray



BLIZZARD
100x100




V3
6F

8352 Blizzard



PANDA
60x120



V3

8F

8135 Panda White



26



PANDA 60x120

BLACK JASPER
100x100



V3
8F


8364 Black Jasper



ELEGANTE
60x120



8167 Elegante Light Gray



8168 Elegante Gray



8169 Elegante Dark Gray







8113 Tivoli Beige



8114 Tivoli Brown



EMERALD
100x100|60x120



V3

6F

8350 Emerald Galaxy & Blue




EMERALD
60x120 | 100x100



V3

6F

8350 Emerald Galaxy & Blue



MOON ROCK
60x120




V3
4F

8084 Moon Rock Light Gray



V3
4F

8085 Moon Rock Dark Gray



FOREST
60x120




V2

5F

7738 Forest Green



Aligned
with modern
architecture



Aligned
with modern
architecture

SAHARA NOIR
100x100




V3
22F

8365 Sahara Noir



VENATINO
100x100



V2
7F

8370 Venatino White



VENATINO 100x100

HIMALAYA
100x100|60x120



V2
8F

8348 Himalaya Gold



V2
8F

8349 Himalaya Silver



HIMALAYA
60x120 | 100x100



V2
8F

8348 Himalaya Gold



V2
8F

8349 Himalaya Silver



SIMMETRIA
60x120





V3
2F

8115 Simmetria Gray



V3
2F

8115 Simmetria Gray



IMPERIAL
60x120



V2

7F

8121 Imperial Beige



V2

7F

8122 Imperial Mocha



LAMBERT
60x120



8125 Lambert Cloud White



RAPOLANO
100x100|60x120



V3
6F

8361 Rapolano White



V3
6F

8362 Rapolano Beige



RAPOLANO
60x120 | 100x100



V3
6F

8361 Rapolano White



V3
6F

8362 Rapolano Beige




STRAND
100x100



V2

4F

8324 Strand Beige



PIETRA
100x100|60x120



V2

5F

8100 Pietra Light Gray



PIETRA
60x120 | 100x100



V2

5F

8100 Pietra Light Gray




ALPINE
100x100|60x120



8105 Alpine Light Gray



ALPINE
60x120|100x100



V2

4F

8105 Alpine Light Gray



SALINO
100x100



V2

5F

8342 Salino Moon Light



SAHARA
100x100 | 60x120




V2
4F

8337 Sahara Beige



V2
4F

8338 Sahara Light Gray




SAHARA
60x120 | 100x100



8137 Sahara Beige



8138 Sahara Light Gray




FLAVIA
60x120



V3

11F

8066 Flavia Beige



VISION
60x120



8036 Vision Black



8035 Vision Light Beige




PACIFIC
60x120



7712 Pacific Brown



7711 Pacific Bone



CRYSTAL
60x120



V2

9F

7707 Crystal White



CROWN
100x100|60x120



7700 Crown White



CROWN
60x120 | 100x100



V2

6F

7700 Crown White



GRANDA
60x120



V3

4F

7141 Granda Light Beige



V3

4F

7144 Granda Brown



STONE

Petra Slate	82
Limestone	94
Marvel Stone	96
Nepal	96
Mountain Rock	100
Stria Stone	102
Gabbro	104
Villa	106
Kathmandu	108
Besalt	110

PETRA SLATE
60x120



7184 Petra Slate




LIMESTONE
60x120



V2

7F

8155 Limestone




MARVEL STONE
60x120



V3

8F

8147 Marvel Stone Black



NEPAL
60x120



V3

9F

8089 Nepal



98



NEPAL 60x120


MOUNTAIN ROCK
60x120



8123 Mountain Rock Light Gray



8124 Mountain Rock Dark Gray



STRIASTONE
60x120



V2

11F

8148 Stria Stone Light Gray



V2

11F

8149 Stria Stone Dark Gray



GABBRO
60x120




V2
8F

8126 Gabbro Beige



V2
8F

8128 Gabbro Gray



VILLA
60x120



V3

14F

8226 Villa Anthracite



KATHMANDU
60x120



8268 Kathmandu Light Beige




8269 Kathmandu Beige



8263 Kathmandu Light Gray



8264 Kathmandu Medium Gray



BASALT
60x120



7717 Basalt Light Beige




7718 Basalt Beige



7719 Basalt Light Gray



7720 Basalt Gray



WOOD

Pastel Wood 114

Ayen 116


PASTEL WOOD
20x120



8234 Pastel Wood Blue



8233 Pastel Wood Beige Gray



AYAN
20x120



V2

9F



8304 Ayan Brown



8301 Ayan Beige



8303 Ayan Walnut



V3

9F



8302 Ayan Latte



V2

9F



8300 Ayan Silver



ABSTRACT

Oxido	120
Exclusive	122
Rust	124
Incanto Royal	126
Incanto	128

OXIDO
60x120



V3

8F

8086 Oxido Blue



EXCLUSIVE
60x120



V4
8F

7189 Exclusive Multi Color



RUST
100x100



V3

5F

8327 Rust Cyan



INCANTO ROYAL
60x120



V4

5F

8083 Incanto Royal Blue



INCANTO
60x120



V4
5F

8071 Incanto Blue



V4
5F

8070 Incanto Gray



CEMENT

Concrete Expose 130
Honed Concrete 134
 Diverso 136
Cement Real 138
 Calma 140
 Nublado 142
Portland 144
 Modena 146

CONCRETE EXPOSE
60x120



V2

5F

8144 Concrete Expose Light Gray



V2

5F

8145 Concrete Expose Gray



V2

5F

8146 Concrete Expose Anthracite




HONED CONCRETE
100x100



V2
5F

8378 Honed Concrete Light Gray



V2
5F

8379 Honed Concrete Dark Gray



DIVERSO
60x120



V2
5F

8087 Divero Light Gray



V2
5F

8088 Divero Gray




CEMENT REAL
100x100



V2
5F

8358 Cement Real Light Gray



V2
5F

8359 Cement Real Gray



CALMA
60x120



V2
5F

8037 Calma Light Gray



V2
5F

8038 Calma Gray



NUBLADO
100x100



V3
5F

8325 Nublado Light Gray




V3
5F

8326 Nublado Gray




PORTLAND
100x100



V2

3F

8322 Portland Gray



MODENA
60x120



V2

6F



7681 Modena Light Gray




SWIMMING POOL

Ocean 150

Sport 152



SPORT
20x20



V2
1F

6330 Sport Royal



V2
1F

6331 Sport Turkish



V2
1F

6348 Sport Plum



HEAVY DUTY

Barco	156
Tricer	158
Vidrado	160
Flint	162
Hard Stone	164

BARCO
60x60



V3

7F

8450 Barco



156



BARCO 60x60

TRICER
60x60



V2
11F

8440 Tricer Gray



V2
11F

8441 Tricer Dark Gray



V2
11F

8442 Tricer Beige



VIDRADO
60x60



V2

12F

8431 Vidrado Beige




V2

12F


8432 Vidrado Silver




FLINT
60x60



8426 Flint Beige



8428 Flint Gray



8429 Flint Dark Gray



HARD STONE
40x40



V3
5F

6136 Hard Stone White



V3
5F

6173 Hard Stone Beige




V3
5F

6311 Hard Stone Light Gray



V3
5F

6312 Hard Stone Gray



HIGH TRAFFIC


Traverse 168

TRAVERSE
60x60



V2
8F

6443 Traverse Beige




TERRAZZO

Hubble 172

Gravity None Slip 174

HUBBLE
100x100



V3
9F

8363 Hubble Galaxy



GRAVITY NONE SLIP
60x120



V2
10F

8162 Gravity Light Gray



V2
10F

8163 Gravity Gray



MONOCOLOR


Rainbow 178

Pixel 184

RAINBOW
60x120




B407 Gray



B408 Dark Gray



B410 Light Gray




B414 Black



RAINBOW
60x120



B401 Green




B411 White




B402 Blue




B405 Mustard




RAINBOW
60x120



8403 Cream



8409 Orange




8404 Pink



8412 lemon



PIXEL
15x15



1175 Pixel White



1176 Pixel Beige



1181 Pixel Gray



1177 Pixel Fine Whirl



1180 Pixel Green




1179 Pixel Crystal Teal



1178 Pixel Azure





FABRIC

Texture 190



TEXTURE
60x120



8141 Texture Base Light



8142 Texture Base Dark



8143 Texture Decor





INDUSTRIAL TILE

Acid Resistant 196

Alkali Resistant 204

None Slip 206

Special Pieces 208



ACID RESISTANT



V1
1F

1804 Acid Resistant

11.5x24



ACID RESISTANT




V1
1F

1804 Acid Resistant
20x20
25x25
30x30
33x33



V1
1F

1808 Acid Resistant
20x20
25x25
30x30
33x33



ACID RESISTANT 



V1
1F


1821 Acid Resistant
25x25



V1
1F

1822 Acid Resistant
25x25





V1
1F

1823 Acid Resistant
33x33




V1
1F

1824 Acid Resistant
33x33



ACID RESISTANT




V1
1F

1816 Acid Resistant
20x20



V1
1F

8701 Acid Resistant
20x20



ALKALI RESISTANT



V1
1F

1993 Alkali Resistant
33x33
30x30



NONE SLIP



V1
1F

1884 None Slip
33x33
30x30



V1
1F

1884 None Slip
11.5x24



SPECIAL PIECES



Cove Based Skirting
11x40

Code: 0804



Inside Angle 2x2,5
Code:0822



Outside Angle 2x2,5
Code:0821



Outer Corner 3x5
Code:0820



Outer Edge 3x20
Code:0805





Inner Edge 3x20
Code:0806



Inside Corner 3x11
Code:0807



Outside Corner 3x11
Code:0808



TECHNICAL SPECIFICATION

Industrial Tile White Body Tile (First Grade)							
Size	11.5x24	20x20	25x25	30x30	33x33	33x33	Test Method
Length & Width	L: Max±1.2mm W: Max±0.6mm	Max±1.2mm		Max±9mm			ISO 10545-2
Surface Flatness	Max±0.5mm			Max±0.7mm			ISO 10545-2
Thickness	Max±0.4mm	+4% Of Nominal Thickness					ISO 10545-2
Rectangularity	Max 1mm						ISO 10545-2
Straightness of Sides	Max±0.4mm			Max±0.7mm			ISO 10545-2
Water Absorption (Percent by Mass)	Average ≤ 0.5%						ISO 10545-3
Modulus of Rupture, in N/mm ²	Average ≥ 40 Min 37						ISO 10545-4
Breaking Strength, in N	Min 1500						ISO 10545-4
Abrasion Resistance	Pass						IF-N According to ISO 10545-7
Thermal Shock Resistance	Pass						ISO 10545-8
Linear Thermal Expansion Coefficient (From Ambient Temperature to 100)	Max 5x10 ⁻⁶ [1/K]						ISO 10545-8
Crazing Resistance	Pass						ISO 10545-11
Frost Resistance	Pass						ISO 10545-12
Stain Resistance	Pass						ISO 10545-14
Chemical Resistance	Pass						ISO 10545-13
Friction Coefficient	Pass						ISO 10545-17
Impact Resistance	Pass						ISO 10545-5
Resistance to Concentrated Acid Weight Loss	Pass						≤ 1% According to ISIRI 3051

White Body Tile (First Grade)								
Size/Thickness	15x15	40x40	60x60 13mm	60x60 13mm	20x120	60x120	100x100	Test Method
Length & Width	Max ±0.5mm			Max ±0.4mm		Max ±0.5mm		ISO 10545-2
Surface Flatness	Max ±0.5mm			Max ±0.4mm	Max ±0.5mm		Max ±0.5mm	ISO 10545-2
Thickness	±4% Of Nominal Thickness							ISO 10545-2
Rectangularity	Max 0.7mm	Max 1.2mm	Max 0.8mm					ISO 10545-2
Straightness Of Sides	Max 0.4mm	Max 0.5mm	Max ±0.3mm					ISO 10545-2
Water Absorption (percent by Mass)	Average ≤ 0.5%							ISO 10545-3
Modulus Of Rupture, in N/mm ²	Average ≥ 40 min 37							ISO 10545-4
Breaking Strength, in N	Min 4000			Min 1500				ISO 10545-4
Abrasion Resistance	Pass							IF-N According to ISO 10545-7
Thermal Shock Resistance	Pass							ISO 10545-8
Linear thermal Expansion Coefficient (From Ambient Temperature to 100)	Max 5x10 ⁻⁶ [1/K]							ISO 10545-8
Crazing Resistance	Pass							ISO 10545-11
Frost Resistance	Pass							ISO 10545-12
Stain Resistance	Pass							ISO 10545-14
Chemical Resistance	Pass							ISO 10545-13
Friction Coefficient	Pass							ISO 10545-17
Impact Resistance	Pass							ISO 10545-5

PACKING SPECIFICATION

Description	Industrial Tile					
Size (cm)	11.5x24	25x25 Relief Surface	25x25 Plane Surface	30x30	33x33	33x33 Alkali Resistant
Thickness (mm)	14	11	10.4	12	11	12
Pieces/Carton	20	14	15	13	9	9
Quantity/Carton (m ²)	0.55	0.83	0.89	1.17	0.93	0.94
(Approx) kg/Carton	17.5	19.4	20.5	30.6	22.6	25.1
Quantity/Pallet (m ²)	52.8	59.76	64.08	63.18	75.33	76.14
Carton/Pallet	96	72	72	54	81	81
(Approx) kg/Pallet	1695	1410	1490	1665	1845	2045
Pallet Size (cm)	105x125	105x105	105x105	105x105	105x105	105x105

Description	Normal Tile								
Size (cm)	15x15	20x20	30x30	40x40	60x60	60x60	20x120	60x120	100x100
Thickness (mm)	9	9	9	12	15	13	10	10	10
Pieces/Carton	24	25	17	6	3	3	6	2	2
Quantity/Carton (m ²)	0.54	1	1.53	0.86	1.08	1.08	1.4	1.44	2
(Approx) kg/Carton	9.5	19.8	30	25.1	36	31.5	32.5	33.8	46.3
Quantity/Pallet (m ²)	64.8	80	82.62	61.44	38.88	38.88	58.8	51.84	64
Carton/Pallet	120	80	54	64	36	36	42	36	32
(Approx) kg/Pallet	1155	1589	1635	1620	1310	1150	1380	1230	1495
Pallet Size (cm)	100x105	105x105	105x105	110x110	110x110	110x110	110x125	110x125	100x105